╟══╞

-26'-0"

			WELDING COMPANY			
J	1	24"		OPTIONAL MANWAY		
Н	1	4"	FNPT			
G	1	4"	FNPT			
F	1	10"	RFSO	SEC E-VENT		
E	1	10"	RFSO	PRI E-VENT		
D	1	4"	FNPT			
С	1	4"	FNPT			
В	1	4"	FNPT			
А	1	2"	FNPT	MONITOR		
MARK	REQ'D.	SIZE	TYPE	REMARKS		

FITTING SCHEDULE

DESIGN: FABRICATED PER UL-142 SPECIFICATIONS DOUBLE WALL	SIZE	O.D.	LENGTH	APPROX. WEIGHT	
CONSTRUCTION	15,000	121"	26'-0"	18,000#	
INSPECTION: MODERN WELDING COMPANY MATERIAL: MILD CARBON STEEL (UNLESS NOTED) (INTERNAL): SURFACE PREP – CLEAN OF DEBRIS COATING – N/A (EXTERNAL): SURFACE PREP – SSPC-SP6 (COM BLAST) COATING – WHITE EPOXY	THIS DRAWING IS FOR ILLUSTRATION PURPOSES ONLY AND IS NO TO BE RELIED UPON FOR ANY OTHER PURPOSE. NO WARRANTY OF MERCHANTABILITY, OF FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER KIND, EXPRESSED OF IMPLIED, IS HEREBY MADE.				
AIR TEST AT NOT LESS THAN 3 PSI NOR MORE THAN 5 PSI. PRIMARY TANK TO BE TESTED ALONE. SECONDARY TANK TO BE PRESSURE TESTED WITH PRESSURE IN PRIMARY TANK. THIS SHALL BE ACCOMPLISHED BY BLEEDING AIR FROM THE PRIMARY TANK INTO THE SECONDARY TANK.	MODERN WELDING COMPANY, INC.				
AT NO TIME SHALL THE PRESSURE IN THE SECONDARY	UL-142 DOUBLE WALL AST				
TANK EXCEED THE PRESSURE IN THE PRIMARY TANK.	TANK NOM CAPACITY: 15,000 GALLONS				
GENERAL NOTES			DATE:	DWG NUMBER	
GLINENAL NOTES	APR BY:	JOB NO:	SHEET: 1 of 1		